



MY21 **GRAVEL** GEOMETRY

INDEX


URS 01

2

URS

3

URS 01 - Geometry




Unless otherwise indicated, all measurements are given in mm.

Size	S	M	L	XL
Rider Height cm	<170	172-180	178-188	186-196
Stack	538	569	603	641
Reach	403	415	419	429
Seat Tube (st)	431	459	492	527
Top Tube (tt')	557	578	591	612
Head Tube (ht)	113	146	172	207
Seat Angle ° (sa)	74	74	74	74
Head Angle ° (ha)	70	70	70	70
Rear Center (rc)	425	425	425	425
Front Center (fc)	625	648	665	700
Wheelbase (wb)	1041	1064	1081	1105
BB Drop (drop)	69	69	69	69
Fork Length (fl)	407	407	407	407
Fork Rake (fr)	45	45	45	45
Trail	77	77	77	77
Crank Length	170	172.5	172.5	175
Stem Length (ICS1)	70	70	80	90
Stem Angle° (ICS1)	0	0	0	0
Bar Width	42	42	44	44
Bar Drop (Easton AX)	120	120	120	120
Bar Reach (Easton AX)	80	80	80	80
Seatpost Length	330	380	430	430
Seatpost Offset	0	0	0	0
Standover Height	748	778	810	846

[> Back to Index](#)

URS - Geometry



Unless otherwise indicated, all measurements are given in mm.

Size	S	M	L	XL
Rider Height cm	<170	172-180	178-188	186-196
Stack	538	569	603	641
Reach	403	415	419	429
Seat Tube (st)	431	459	492	527
Top Tube (tt')	557	578	591	612
Head Tube (ht)	113	146	172	207
Seat Angle ° (sa)	74	74	74	74
Head Angle ° (ha)	70	70	70	70
Rear Center (rc)	425	425	425	425
Front Center (fc)	625	648	665	700
Wheelbase (wb)	1041	1064	1081	1105
BB Drop (drop)	69	69	69	69
Fork Length (fl)	407	407	407	407
Fork Rake (fr)	45	45	45	45
Trail	77	77	77	77
Crank Length	170	172.5	172.5	175
Stem Length	70	70	80	90
Stem Angle°	0	0	0	0
Bar Width	42	42	44	44
Bar Drop (Easton AX)	120	120	120	120
Bar Reach (Easton AX)	80	80	80	80
Seatpost Length	330	380	430	430
Seatpost Offset	0	0	0	0
Standover Height	748	778	810	846